

Problem A

The Mailbox Manufacturers Problem

source: mailbox.*

In the good old days when Swedish children were still allowed to blow up their fingers with fire-crackers, gangs of excited kids would plague certain smaller cities during Easter time, with only one thing in mind: To blow things up. Small boxes were easy to blow up, and thus mailboxes became a popular target. Now, a small mailbox manufacturer is interested in how many fire-crackers his new mailbox prototype can withstand without exploding and has hired you to help him. He will provide you with k ($1 \leq k \leq 10$) identical mailbox prototypes each fitting up to m ($1 \leq m \leq 100$) crackers. However, he is not sure of how many fire-crackers he needs to provide you with in order for you to be able to solve his problem, so he asks you. You think for a while and then say: "Well, if I blow up a mailbox I can't use it again, so if you would provide me with only $k = 1$ mailboxes, I would have to start testing with 1 cracker, then 2 crackers, and so on until it finally exploded. In the worst case, that is if it does not blow up even when filled with m crackers, I would need $1 + 2 + 3 + \dots + m = m * (m + 1) / 2$ crackers. If $m = 100$ that would mean more than 5000 fire-crackers!". "That's too many", he replies. "What if I give you more than $k = 1$ mailboxes? Can you find a strategy that requires less crackers?"

Can you? And what is the minimum number of crackers that you should ask him to provide you with?

You may assume the following:

1. If a mailbox can withstand x fire-crackers, it can also withstand $x - 1$ fire-crackers.
2. Upon an explosion, a mailbox is either totally destroyed (blown up) or unharmed, which means that it can be reused in another test explosion.

Note: If the mailbox can withstand a full load of m fire-crackers, then the manufacturer will of course be satisfied with that answer. But otherwise he is looking for the maximum number of crackers that his mailboxes can withstand.

Input specifications

The input starts with a single integer N ($1 \leq N \leq 10$) indicating the number of test cases to follow. Each test case is described by a line containing two integers: k and m , separated by a single space.

Output specifications

For each test case print one line with a single integer indicating the minimum number of fire-crackers that is needed, in the worst case, in order to figure out how many crackers the mailbox prototype can withstand.

Sample input

```
4
1 10
1 100
3 73
5 100
```

Output for sample input

```
55
5050
382
495
```