

Minimizing System Modification in an Incremental Design Approach

Paul Pop, Petru Eles, Traian Pop, Zebo Peng

Department of Computer and Information Science
Linköpings universitet, Sweden




Incremental Design Process



- Start from an already existing system with applications
- Implement new functionality on this system
 - Mapping and Scheduling
- To reduce design and testing time:
 - As few as possible modifications of the existing applications
- After the new functionality has been implemented:
 - It should be easy to add functionality in the future

Mapping and Scheduling Problem



Input

- A set of *existing* applications modelled using process graphs.
- A *current* application to be mapped modelled using process graphs.
- Each process graph in the application has its own *period* and *deadline*.
- Each process has a *potential set of nodes* to be mapped on and a *WCET*.
- The system architecture is given.

Output

- A **mapping and scheduling of the *current* application**, so that:
Requirement a: constraints of the *current* application are satisfied and minimal modifications are performed to the *existing* applications.
Requirement b: new *future* applications can be mapped on the resulted system.

Notes

- Hard real-time applications
- Static cyclic scheduling of processes and messages
- Time-triggered protocol, TDMA


Mapping and Scheduling Strategy

- Initial mapping and scheduling
- a) - Satisfying the constraints for the current application
- Minimizing the modification cost
- b) - Prediction of success in adding future applications
- Minimizing the objective function

"An Incremental Approach to the Design of Embedded Systems" , DAC 2001

$$C = w_1^P (C_1^P) + w_1^m (C_1^m) + w_2^P \max(0, t_{need} - C_2^P) + w_2^m \max(0, b_{need} - C_2^m)$$

Characterizing Existing Applications



$R(\{\Gamma_7\})=20$, $R(\{\Gamma_3\})=50$, $R(\{\Gamma_3, \Gamma_7\})=70$,
 $R(\{\Gamma_4, \Gamma_7\})=90$ (the modification of Γ_4 triggers the modification of Γ_7),
 $R(\{\Gamma_2, \Gamma_3\})=120$, $R(\{\Gamma_3, \Gamma_4, \Gamma_7\})=140$, $R(\{\Gamma_1\})=150$,

The total number of possible subsets is 16.

Mapping and Scheduling, Requirement a)

- Mapping and scheduling of the *current* application, so that: Constraints of the *current* application are satisfied and **minimal modifications** are performed to the *existing* applications.

- **Subset selection problem**


Select that subset Ω of existing applications which guarantees that the current application fits and the modification cost $R(\Omega)$ is minimized:

$$R(\Omega) = \sum_{\Gamma_i \in \Omega} R_i$$

Mapping and Scheduling Strategy

- Initial mapping and scheduling
- Requirement a)
Minimizing the modification cost $R(\Omega)$, **subset selection**:
 - Exhaustive Search (ES)
 - Ad-Hoc Solution (AH)
 - Subset Selection Heuristic (SH)
- Requirement b)
Minimizing the objective function:
"An Incremental Approach to the Design of Embedded Systems", DAC 2001

Experimental Results



- Mapping and scheduling of distributed embedded systems for hard-real time applications.
- Incremental design process
 - Already existing system,
 - Implement new functionality,
 - a) Existing system modified as little as possible,
 - b) new functionality can be easily added to the system.
- Mapping strategy
 - a) Subset selection to minimize modification cost,
 - b) Two design criteria, objective function.