

Database Technology

Topic 7: Triggers and Stored Procedures

Olaf Hartig

olaf.hartig@liu.se

Triggers

What are Triggers?

- Specify actions to be performed by the DBMS when certain events and conditions occur
- Used to monitor the DB and enforce business rules
 - Raise an alarm (e.g., constraint violation)
 - Enforce a constraint (e.g., by updating related data)
 - Update derived data in (possibly some other) table
- Typically, triggers consist of three components:
 - *Event*: update operations that activate the trigger
 - *Condition*: determines if action should be executed
 - *Action*: specifies what to do (e.g., execute stored procedure, perform sequence of SQL statements)

Example

- “Salaries cannot be increased by more than 10%.”
The following trigger enforces this 10%-increase limit.

```
CREATE TRIGGER LimitSalaryTrigger  
BEFORE UPDATE ON Employee  
FOR EACH ROW  
WHEN ( NEW.Salary > 1.1 * OLD.Salary )  
SET NEW.Salary = 1.1 * OLD.Salary;
```

Using Triggers

[**INSERT** | **UPDATE** | **DELETE**]

- **CREATE TRIGGER** <name>
{ **BEFORE** | **AFTER** } <event>
ON <table name>
FOR EACH ROW
[**WHEN** <condition>]
< trigger statement(s) >;

Must be permanent table
(not a view or a temporary table)

Use **OLD.**<attr.name> to
refer to an attribute of a
row before the event
Use **NEW.**<attr.name> to
refer to an attribute of a
row after the event

- **SHOW TRIGGERS;**
- **DROP TRIGGER** <trigger name>;

BEFORE versus AFTER

- BEFORE trigger activated by attempt to insert or to modify the row, regardless of whether the attempt subsequently succeeds
- AFTER trigger activated only if the BEFORE trigger (if any) and the row operation both execute successfully
- If error during either a BEFORE or an AFTER trigger, the entire statement that activated the trigger fails

Stored Procedures

Stored Procedures – What and Why

- What are stored procedures?
 - Program modules stored in the DBMS
 - May be written in a general-purpose programming language
 - Alternatively, made of SQL commands (e.g., queries, update statements)
- Why is this useful?
 - Reduces duplication of effort if a database program is needed by several applications
 - Reduce data transfer and communication cost (assuming a client-server setting)
 - Can be used to check for complex constraints

Using Stored Procedures in SQL

- **CREATE PROCEDURE** <proc. name> (<params>)
<local declarations>
<procedure body>;

[**IN** | **OUT** | **INOUT**] <param. name> <type>

- **CALL** <proc. name> (<argument list>);
- **DROP PROCEDURE** [**IF EXISTS**] <proc. Name>;

- **CREATE FUNCTION** <function name> (<params>)
RETURNS <return type>
<local declarations>
<procedure body>;

Must contain
RETURN ...;

Example

```
mysql> delimiter //
```

```
mysql> CREATE PROCEDURE showsalary(IN eid INT)  
-> BEGIN  
-> SELECT salary FROM emp WHERE id=eid;  
-> END;  
-> //
```

```
mysql> delimiter ;
```


```
mysql> CALL showsalary(1);
```

```
+-----+  
| salary |  
+-----+  
|  10000 |  
+-----+
```

Another Example

```
mysql> delimiter //
```

```
mysql> CREATE PROCEDURE myproc(OUT param1 INT)
-> BEGIN
-> SELECT COUNT(*) INTO param1 FROM t;
-> END; //
```



```
mysql> delimiter ;
```

```
mysql> CALL myproc(@a);
```

```
mysql> SELECT @a;
```

```
+-----+
| @a    |
+-----+
| 3     |
+-----+
```

SQL / Persistent Stored Modules

- SQL/PSM: a set of extensions to SQL
 - General-purpose programming constructs in SQL
 - Can be used to write stored procedures
- Lots of features
 - Conditional branching
 - `IF ... THEN ... [ELSE ...] END IF;`
 - `CASE ... WHEN ... THEN ... [...] END CASE;`
 - Looping
 - `WHILE ... DO ... END WHILE;`
 - `REPEAT ... UNTIL ... END REPEAT;`
 - etc.

SQM/PSM Example

```
CREATE FUNCTION dept_size( dno INT )  
  RETURNS VARCHAR(7)  
  
BEGIN  
  
  # number of employees  
  DECLARE n INT;  
  
  SELECT COUNT(*) INTO n FROM emp WHERE Dept=dno;  
  
  IF n > 25 THEN RETURN "large"  
  ELSEIF n > 10 THEN RETURN "medium"  
  ELSE RETURN "small"  
  END IF;  
  
  END;  
  
  //
```

Summary

Summary

- *Triggers*: specify actions to be performed by DBMS when certain events and conditions occur
 - Used to monitor the DB, enforce business rules
 - Consist of event, condition, and action
- *Stored procedures*: program modules stored in DBMS
 - SQL commands
 - General-purpose programming constructs

www.liu.se